

Crop Rotation by species and family

Year 1

(heavy feeders,
raw compost)

| <u>Vegetables</u> | <u>Families</u> |
|--------------------------|-----------------|
| • eggplant | • cucurbitaceae |
| • tomato | • solanaceae |
| • sunflower | • graminaceae |
| • cucumber | • compositae |
| • squash | |
| • zucchini | |
| • melon | |
| • pumpkin | |
| • sweet corn | |
| • pepper (sweet and hot) | |

Year 4

(green manure,
soil recharge)

- field peas
- winter rye
- oats
- buckwheat
- oilseed radish
- clover

Year 2

(heavy feeders,
mature compost)

| <u>Vegetables</u> | <u>Families</u> |
|-------------------|-------------------------------|
| • okra | • brassicaceae/ cruciferae |
| • brocolli | • liliaceae |
| • cabbage | • malvaceae |
| • mustard greens | • chenopodiaceae |
| • kale | |
| • chard | |
| • spinach | |
| • leeks | |
| • garlic | |
| • beet | |

Year 3

(light feeders,
no compost added)

| <u>Vegetables</u> | <u>Families</u> |
|-------------------|----------------------------|
| • onion | • liliaceae |
| • carrot | • chenopodiaceae |
| • beans | • fabaceae/ leguminosae |
| • peas | |
| • rutabaga | |
| • parsnip | |
| • turnip | |
| • dry beans | |

